

Client : Kostas Kourouniotis, Foundation for Research & Technology-I.M.B.B.

(Page 1 of 1)

Veterinary Medicine, 100 N.Plastira str., Vassilika Vouton, 70013 Heraklion, Crete, 70013, Greece

Batch Code : BH-23/000193 Substances : Mouse Serum, Swabs and Faeces

Sample Details : SPF2 Lab No : 23/1986-1987

	Test Frequency	Current Test Date	Current Test Results	Testing Laboratory	Test Method	Cumulative Since Sep21
Serology						
MVM Minute Virus of Mice	3 Months	23/03/2023	0/2	SDL	Bead	0/5
MHV Mouse Hepatitis Virus	3 Months	23/03/2023	0/2	SDL	Bead	0/5
PVM Pneumonia Virus of Mice	3 Months	23/03/2023	0/2	SDL	Bead	0/5
REO III Reo Virus Type 3	3 Months	23/03/2023	0/2	SDL	Bead	0/5
GDVII TMEV	3 Months	23/03/2023	0/2	SDL	Bead	0/5
SEND Sendai Virus	3 Months	23/03/2023	0/2	SDL	Bead	0/5
EDIM Epizootic Diarrhoea of Infant Mice	3 Months	23/03/2023	0/2	SDL	Bead	0/5
MPV Mouse Parvovirus	3 Months	23/03/2023	0/2	SDL	Bead	0/5
NS-1	3 Months	23/03/2023	0/2	SDL	Bead	0/5
MNV Mouse Norovirus	3 Months	23/03/2023	0/2	SDL	Bead	0/5
CPIL Clostridium piliforme	3 Months	23/03/2023	0/2	SDL	Bead	0/5
MPUL Mycoplasma species	3 Months	23/03/2023	0/2	SDL	Bead	0/5
LCMV Lymphocytic Choriomeningitis Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
HANT Hantaan Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
ECTRO Ectromelia Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
MCMV Mouse Cytomegalovirus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
MAD1 Mouse Adenovirus 1	12 Months	23/03/2023	0/2	SDL	Bead	0/5
MAD2 Mouse Adenovirus 2	12 Months	23/03/2023	0/2	SDL	Bead	0/5
POLY Polyoma Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
K Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
MTV Mouse Thymic Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
CARB CAR bacillus	12 Months	23/03/2023	0/2	SDL	Bead/IFA	0/5
ECUN Encephalitozoon cuniculi	12 Months	23/03/2023	0/2	SDL	Bead	0/5
LDEV Lactate Dehydrogenase Elevating Virus	12 Months	23/03/2023	0/2	SDL	Bead	0/5
PMUR Pneumocystis murina	12 Months	23/03/2023	1/2	SDL	Bead	2/5
Bacteriology						
Helicobacter species	On Request	23/03/2023	0/2	SDL	PCR	0/5
Bordetella bronchiseptica	3 Months	23/03/2023	0/2	SDL	Culture/Agg	0/5
Citrobacter rodentium	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Corynebacterium kutscheri	3 Months	23/03/2023	0/2	SDL	Culture/PCR	0/5
Klebsiella species	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Pasteurellaceae	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Pasteurella pneumotropica (Jawetz)	3 Months	23/03/2023	0/2	SDL	PCR	0/5
Pasteurella pneumotropica (Heyl)	3 Months	23/03/2023	0/2	SDL	PCR	0/5
Pseudomonas aeruginosa	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Salmonella species	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Staphylococcus aureus	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Streptobacillus moniliformis	3 Months	23/03/2023	0/2	SDL	Culture	0/5
B-haemolytic Streptococci	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Streptococcus pneumoniae	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Yersinia species	3 Months	23/03/2023	0/2	SDL	Culture	0/5
Molecular Biological Testing						
Aspicularis tetraptera PCR	On Request	23/03/2023	0/2	SDL	PCR	0/4
Syphacia obvelata PCR	On Request	23/03/2023	0/2	SDL	PCR	1/4

Bead - Multiplexed Serological Assay, PCR - Polymerase Chain Reaction, CULT - Culture, MIC - Microscopy, FLOT - Faecal Flotation, SDL - Surrey Diagnostics Ltd., AB - Abbey Veterinary Services, BD - Bio-Doc



Andrew Dickinson BSc, MRSB

General Manager